


2005 and 2006 Evaluation of Pecan Pollinators in Northern California

Bill Olson
U.C. Farm Advisor Emeritus

Work Sponsored by the California Pecan Growers
Association

Pecan Field Evaluation 2005, Durham Ca.

Period of Pollen Shedding & Stigma Receptivity, Durham Ca. 2005



Varieties that Cross-Pollinated Pawnee, Durham Ca. 2005

Preferred Varieties that Cross- Pollinated Pawnee, Durham Ca. 2005

Varieties that shed pollen on the 1st or 2nd half of Pawnee pistillate bloom - 5/3-5/17 2005

1st Half Pollenizers


- Cheyenne 4/27-5/14
- Houma 4/27-5/9
- Western 5/3-5/17
- Navaho 4/22-5/6
- Hagens 5/2-5/22

2nd Half Pollenizers

- Burkett 5/9-5/21
- Maramec 5/14-5/27
- Mohawk 5/12-5/23
- Salopek 5/12-5/24
- Kiowa 5/10-5/24
- Wichita 5/12-5/24
- Kanza 5/12-5/24
- Shoshoni 5/9-5/21

Pecan Field Evaluation 2006, Durham Ca.

Period of Pollen Shedding & Stigma Receptivity, Durham Ca. 2006



Varieties that shed pollen on the 1st or 2nd half of Pawnee pistillate bloom – 5/12-5/21 2006

1st Half Pollenizers

- Cheyenne 5/13-5/21
- Houma 5/12-5/20
- Western 5/13-5/21
- Navaho 5/11-5/21
- Shoshoni 5/13-5/22

2nd Half Pollenizers

- Kiowa 5/16-5/24
- Wichita 5/18-5/27
- Hagens 5/17-5/28
- Posey 5/17-5/28
- Kanza 5/18-5/26
- Clark II 5/18-5/26

Varieties that shed pollen on Pawnee pistillate bloom in 2005 and 2006

1st half pollenizers

- Navaho
- Houma
- Cheyenne
- Western

2nd half pollenizers

- Kiowa
- Wichita
- Shoshoni
- Kanza
- Hagens

**Varieties that shed pollen on Pawnee pistillate bloom
in 2005 and 2006 and harvested before November 15th
in 2005**

Early *

Mid*

Late*

Navaho**

Shoshoni

Kiowa**

Houma

Wichita

Cheyenne

Kanza

Western

* Early, mid or late Pawnee pistillate bloom

** Stagger indicates start of pollen shedding period

**Varieties that shed pollen on Pawnee pistillate bloom
in 2005 and 2006 and harvested before November 1st
in 2005**

Early*

Navaho

Mid*

Shoshoni

Late*

Kanza

* Early, mid or late Pawnee pistillate bloom